

RC18T2

Driver: Team Associated Date: _____
 Track: _____ Indoor Outdoor
 Event: _____
 Conditions: _____
 Additional Comments: _____

For more setups and setup sheets, click here:
www.RC10.com • www.TeamAssociated.com

Front Suspension

Front Tower:
 Plastic
 Aluminum

Shock Tower Mount Location

Arm Mount Location

Front Arm:
 Plastic Aluminum

Upright

Ballstud: Short Long

Ballstud Washers: 0

Steering Block:
 Plastic
 Aluminum

Caster Block:
 Plastic
 Aluminum

Shocks

Piston: std Oil: 30 wt

Spring: blue Limiters: 0

Ride Height: _____ mm

Shock Body: Plastic Threaded Aluminum

Anti-Roll Bar

0.75mm
 1.0mm

Alignment

Camber: _____°

Inner Camber Shims: _____

Toe: _____°

Differential

Gear Diff
 Ball Diff Setting: _____

Drivebones

Plastic Dogbones
 Aluminum Dogbones
 MIP CVD's

Notes: _____

Rear Suspension

Rear Tower:
 Plastic
 Aluminum

Shock Tower Mount Location

Arm Mount Location

Rear Arm:
 Plastic Aluminum

Upright

Hub Carrier:
 Plastic
 Aluminum

Anti-Squat

Standard - 0°
 Optional - 3.5°

Shocks

Piston: std Oil: 30 wt

Spring: silver Limiters: 0

Ride Height: _____ mm

Shock Body: Plastic Threaded Aluminum

Anti-Roll Bar

0.75mm
 1.0mm

Alignment

Camber: _____°

Inner Camber Shims: _____

Toe: _____°

Differential

Gear Diff
 Ball Diff Setting: _____

Drivebones

Plastic Dogbones
 Aluminum Dogbones
 MIP CVD's

Notes: _____

Body & Wing

Body: _____ Wing: _____
 Notes: _____

Tires

Front	Rear
Type: _____	Type: _____
Insert: _____	Insert: _____
Wheel: _____	Wheel: _____

Traction Compound: _____
 Notes: _____

Electronics

Motor: _____ Gear: _____ t/ _____ t

Motor Brush: _____ Motor Spring: _____

Motor Timing: _____

Battery: _____ Position: Fwd Back

ESC: _____ Mode: _____

Drag Brake: _____ Initial Brake: _____

Race Comments

Main: _____ Qualifying Position: _____ Finish: _____
 Notes: _____

Car Comments

Notes: _____

